



<http://www.ebiz-tcf.eu>

**DRAFT**

**IMPLEMENTATION GUIDE**

**TRANSACTION "YARN PURCHASE ORDER"**

Version: draft

Date of release: 17/5/2019

Document code: G014

technical Documentation: <http://www.ebiz.enea.it>

XML Schemas repository: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Guides repository: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Guide filename: G014-eBIZ-YarnPurchaseOrder.pdf

## 0. PREMISE

This document contains a proposal for the updating and extension of eBIZ specifications starting from the eBIZ version released as CEN CWA 16667 in 2013. Under the name of 'Draft version' it is reported the result of an extensive work of analysis and consultation aimed at developing and maintaining eBIZ specifications.

In particular, the content of this proposal is the result of various activities, mainly those carried out within the framework of the **eBIZ 4.0 project** funded by the European Commission, call COS-DESIGN-2015-3-06, topic COS-2015-DESIGN-2.

The technical contents are backwards compatible with the latest official published version.

## 1. BUSINESS DESCRIPTION

### 1.1 Scope

The present guide has been issued to assist the companies of the Textile-Clothing sector in the implementation of the standard XML document type "YARN PURCHASE ORDER", providing all the instruction required for its use in any context of e-commerce between Yarn Producers and their Customers.

All the rules required for the construction and validation of the document are embedded into the specific XML-Schema, which is detailed in section "Implementation guide".

### 1.2 Generalities


The Purchase Order is issued by a Fabric or Knittwear Producer to procure yarn.

Key elements of this type of Order, besides quantities and delivery dates, are

- 1- the yarn product code, showing article, color and additional coding
- 2- the technical and construction specifications of the yarn product and the possible specification of "special treatments"
- 3- the detailed specifications referring to packing and packaging

### 1.3. Possible scenario

Purchase of yarn



## 2. IMPLEMENTATION GUIDE

### 2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema.

In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrences); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...)" is shown in square brackets.

### Structure

#### YARNOrder

```
@Totype [Required]
@msgfunction [Optional] [Default= OR]
@version [Optional] [Default= draft]
@useProfile [Optional]
| YHeader 1-1
| | msgN 1-1
| | - choose -
| | msgID 0-1
| | - or -
| | docID 0-1
| | @numberingOrg [Optional]
| | - end choose -
| | msgDate 1-1
| | @dateForm [Optional]
| | season 0-1
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | msgCurrency 0-1
| | otherCurrency 0-9
| | @currencyUseQualifier [Required]
| | @exchangeRate [Optional]
| | refDoc 0-9
| | @docType [Required]
| | | docID 1-2
| | | @numberingOrg [Optional]
| | | docDate 0-1
| | | @dateForm [Optional]
| | | season 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | itemID 0-1
| | | attachment 0-1
| | | @uid [Optional]
| | | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
```

- | | | @format [Optional]
- | | | @mime [Optional]
- | | | @encoding [Optional]
- | | | @characterSet [Optional]
- | | | **externalReference 0-99**
- | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | | mimeTypeCode 0-1
- | | | | | formatCode 0-1
- | | | | | encodingCode 0-1
- | | | | | characterSetCode 0-1

**buyer 1-1**

- | @logo [Optional]
- | @sender [Optional]
- | | id 1-1
- | | | @numberingOrg [Optional]
- | | additionalIdentifier 0-9
- | | | @numberingOrg [Optional]
- | | | @idQualifier [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1

**supplier 1-1**

- | @logo [Optional]
- | @sender [Optional]
- | | id 1-1
- | | | @numberingOrg [Optional]
- | | additionalIdentifier 0-9
- | | | @numberingOrg [Optional]
- | | | @idQualifier [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1

**thirdParty 0-5**

- | @VAT [Optional]
- | @role [Required]
- | @sender [Optional]
- | | id 1-1
- | | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1

- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]

| **terms 0-1**

- | | **payment 0-5**
- | | | @finDiscount [Optional]
- | | | @finSurcharge [Optional]

| | - choose -

- | | | payTerm 1-1

| | - or -

- | | | payTermText 1-1

| | - end choose -

- | | | payMode 0-1

- | | **insPayment 0-5**

- | | | @part [Required]

| | - choose -

- | | | payTerm 1-1

| | - or -

- | | | payTermText 1-1

| | - end choose -

- | | | payMode 0-1

- | | **trade 0-1**

| | - choose -

- | | | incoTermText 1-1

| | - or -

- | | | incoTerm 1-1

| | - end choose -

- | | | location 0-1

- | | | @LRI [Optional]

- | | **transInfo 0-5**

- | | | @transReason [Optional]

- | | | @progr [Optional]

- | | | transMode 1-1

- | | | carrier 0-1

- | | | deliveryPlace 0-1

- | | | grossWeight 0-1

- | | | | @um [Required]

- | | | netWeight 0-1

- | | | | @um [Required]

- | | | transMeans 0-1

- | | | transCondition 0-3

- | | | transConditionText 0-1

- | | | despatchPlace 0-1

- | | | despatchDate 0-1

- | | | | @dateForm [Optional]

- | | | delEffectiveDate 0-1

- | | | | @dateForm [Optional]

- | | **allowanceCharge 0-9**

- | | | @um [Optional]

- | | | @VAT [Optional]

- | | | @minQty [Optional]

```

| | @currency [Optional]
| | @maxQty [Optional]
| | - choose -
| | | AC_category 1-1
| | - or -
| | | AC_categoryText 1-1
| | - end choose -
| | - choose -
| | | AC_percent 1-1
| | - or -
| | | AC_amount 1-1
| | - end choose -
| | | dtScheme 0-1
| | | @taxType [Required]
| | | | taxCategory 0-1
| | | | taxRate 0-1
| | | | legalRef 0-1
| | | | @codeList [Required]
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]

```

**yarnComInfo 0-1**

```

| | @endUse [Optional] [Default= PR]
| | season 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | brand 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | productLine 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | project 0-1
| | operationalCode 0-19
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | @codeQualifier [Optional]
| | yarnPay 0-1
| | | @percCond [Optional]
| | deliveryDate 0-1
| | | @dateForm [Optional]
| | specDate 0-1
| | | @dateForm [Optional]
| | yarnPack 0-1
| | | yarnReel 1-1
| | | | @reelType [Required]
| | | | @reelMat [Optional]
| | | | | yarnReelD 0-1
| | | | | @um [Required]
| | | | | yarnReelH 0-1
| | | | | @um [Required]

```

| | | | yarnConeAngle 0-1  
 | | | | yarnReelQty 0-2  
 | | | | @um [Required]  
 | | | | label 0-1  
 | | | | labelWrit 0-1  
 | | | | **yarnInWrap 0-1**  
 | | | | yarnReelWrap 1-1  
 | | | | label 0-1  
 | | | | labelWrit 0-1  
 | | | | - choose -  
 | | | | | yarnOutWrapText 0-1  
 | | | | - or -  
 | | | | | yarnOutWrap 0-1  
 | | | | - end choose -  
 | | | | note 0-99  
 | | | | @numberingOrg [Optional]  
 | | | | @codeList [Optional]  
 | | | | @noteLabel [Optional]

## YObody 1-1

### YOitem 1-unbounded

| | | | lineN 1-1  
 | | | | @VAT [Optional]  
 | | | | **refDoc 0-9**  
 | | | | @docType [Required]  
 | | | | | docID 1-2  
 | | | | | @numberingOrg [Optional]  
 | | | | | docDate 0-1  
 | | | | | @dateForm [Optional]  
 | | | | | season 0-1  
 | | | | | @numberingOrg [Optional]  
 | | | | | @codeList [Optional]  
 | | | | | @listName [Optional]  
 | | | | | @listVersion [Optional]  
 | | | | | itemID 0-1  
 | | | | | **attachment 0-1**  
 | | | | | @uid [Optional]  
 | | | | | | fileName 0-1  
 | | | | | | @numberingOrg [Optional]  
 | | | | | | binaryObject 0-1  
 | | | | | | @format [Optional]  
 | | | | | | @mime [Optional]  
 | | | | | | @encoding [Optional]  
 | | | | | | @characterSet [Optional]  
 | | | | | | **externalReference 0-99**  
 | | | | | | | uri 1-1  
 | | | | | | | @isURL [Optional] [Default= true]  
 | | | | | | | mimeTypeCode 0-1  
 | | | | | | | formatCode 0-1  
 | | | | | | | encodingCode 0-1  
 | | | | | | | characterSetCode 0-1  
 | | | | | **yarnCode 1-2**  
 | | | | | @numberingOrg [Optional] [Default= CL]  
 | | | | | | art 1-1  
 | | | | | | @numberingOrg [Optional]  
 | | | | | | @codeList [Optional]  
 | | | | | | @listName [Optional]  
 | | | | | | @listVersion [Optional]  
 | | | | | | color 0-1  
 | | | | | | @numberingOrg [Optional]  
 | | | | | | @codeList [Optional]

```

| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
| | | | yarnCompos 0-1
| | | | | percCompos 1-9
| | | | | @fibre [Required]
| | | | yarnSpecs 0-9
| | | | - choose -
| | | | | yarnCharText 1-1
| | | | - or -
| | | | | yarnChar 1-1
| | | | - end choose -
| | | | | experimValue 0-1
| | | | | | @um [Optional]
| | | | | | @method [Optional]
| | | | | | @application [Optional]
| | | | | | @idCO [Optional]
| | | | | specValue 0-1
| | | | | | @um [Optional]
| | | | | | @source [Optional]
| | | | | | @method [Optional]
| | | | | | @application [Optional]
| | | | | | @CV [Optional]
| | | | - choose -
| | | | | tolerance 0-2
| | | | | | @um [Required]
| | | | - or -
| | | | | pcTolerance 0-2
| | | | | | @um [Optional]
| | | | - end choose -
| | | | lotN 0-2
| | | | | @numberingOrg [Optional]
| | | | dyeN 0-2
| | | | | @numberingOrg [Optional]
| | | | yarnTreat 0-1
| | | | qty 1-2
| | | | | @um [Required]
| | | | price 0-1
| | | | | @um [Optional]
| | | | | @priceQualifier [Optional] [Default= NET]
| | | | | @currency [Optional]
| | | | comDiscount 0-1
| | | | thirdParty 0-1
| | | | | @VAT [Optional]
| | | | | @role [Required]
| | | | | @sender [Optional]
| | | | | | id 1-1
| | | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1

```

```

| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | yarnComInfo 0-1
| | | @endUse [Optional] [Default= PR]
| | | | season 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | brand 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | productLine 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | project 0-1
| | | | operationalCode 0-19
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | @codeQualifier [Optional]
| | | | yarnPay 0-1
| | | | | @percCond [Optional]
| | | | deliveryDate 0-1
| | | | | @dateForm [Optional]
| | | | specDate 0-1
| | | | | @dateForm [Optional]
| | | | yarnPack 0-1
| | | | | yarnReel 1-1
| | | | | | @reelType [Required]
| | | | | | @reelMat [Optional]
| | | | | | | yarnReelD 0-1
| | | | | | | | @um [Required]
| | | | | | | yarnReelH 0-1
| | | | | | | | @um [Required]
| | | | | | | yarnConeAngle 0-1
| | | | | | | yarnReelQty 0-2
| | | | | | | | @um [Required]
| | | | | | | label 0-1
| | | | | | | labelWrit 0-1
| | | | | | yarnInWrap 0-1
| | | | | | | yarnReelWrap 1-1
| | | | | | | label 0-1
| | | | | | | labelWrit 0-1
| | | | - choose -
| | | | | | yarnOutWrapText 0-1
| | | | - or -
| | | | | | yarnOutWrap 0-1
| | | | - end choose -
| | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | dtScheme 0-1
| | | @taxType [Required]

```

			taxCategory 0-1
			taxRate 0-1
			legalRef 0-1
			@codeList [Required]
			note 0-99
			@numberingOrg [Optional]
			@codeList [Optional]
			@noteLabel [Optional]
			note 0-99
			@numberingOrg [Optional]
			@codeList [Optional]
			@noteLabel [Optional]

**| totals 0-1**

			totQty 0-1
			@um [Required]
			goodsAmount 1-1

## 2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, data type and syntax constraints; 2) information about use of the element in a particular position in the document: xpath and possible associated notes.

### 2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs). Complex elements are alphabetically ordered.

<b>allowanceCharge</b>	Allowances and Charges related to an Order or a contract (XPath YARNOrder/terms/allowanceCharge) 0-9
<b>attachment</b>	an attached document. An attachment can refer to an external document or be included with the document being exchanged (XPath YARNOrder/YOheader/refDoc/attachment) 0-1 (XPath YARNOrder/YObody/YOitem/refDoc/attachment) 0-1
<b>buyer</b>	details of the Buyer (party that buys the good or service that is object of the current collaborative process) - base type: Nad, (XPath YARNOrder/YOheader/buyer) 1-1
<b>dtScheme</b>	set of data usable to declare the duty or tax applied (XPath YARNOrder/YObody/YOitem/dtScheme) 0-1 (XPath YARNOrder/terms/allowanceCharge/dtScheme) 0-1
<b>externalReference</b>	details about an external object, such as a document stored at a remote location (XPath YARNOrder/YOheader/refDoc/attachment/externalReference) 0-99 (XPath YARNOrder/YObody/YOitem/refDoc/attachment/externalReference) 0-99
<b>insPayment</b>	payment details for payment by installments (XPath YARNOrder/terms/insPayment) 0-5 - note: <i>excluded the case of offers, this set of data is alternative to payment set and must be iterated for each payment installment</i>
<b>payment</b>	payment details for payment all in one (XPath YARNOrder/terms/payment) 0-5 - note: <i>excluded the case of offers, this set of data is alternative to insPayment, it can be iterated to specify alternative terms of payment (e.g.: 60 days or 30 days with 3% discount)</i>
<b>refDoc</b>	identification of a document and of an item thereof, to which the message makes reference (XPath YARNOrder/YObody/YOitem/refDoc) 0-9 (XPath YARNOrder/YOheader/refDoc) 0-9
<b>supplier</b>	details of the Supplier (party that supplies the good or service that is object of the current collaborative process) - base type: Nad, (XPath YARNOrder/YOheader/supplier) 1-1
<b>terms</b>	details of the commercial obligations for payment and delivery (XPath YARNOrder/terms) 0-1
<b>thirdParty</b>	details of the Third Party, different from Buyer or Supplier - base type: Nad, (XPath YARNOrder/YObody/YOitem/thirdParty) 0-1 (XPath YARNOrder/YOheader/thirdParty) 0-5
<b>totals</b>	monetary and quantity totals of the Order

	(XPath YARNOrder/totals) 0-1
<b>trade</b>	general terms of trade for the specified supply (XPath YARNOrder/terms/trade) 0-1
<b>transInfo</b>	details of transport: mode, carrier and delivery place (XPath YARNOrder/terms/transInfo) 0-5
<b>yarnCode</b>	full codification of a yarn product (XPath YARNOrder/YObody/YOitem/yarnCode) 1-2
<b>yarnComInfo</b>	miscellaneous trade information, that can be specified in a yarn Order, referred either to the whole document or to the single item (XPath YARNOrder/YObody/YOitem/yarnComInfo) 0-1 (XPath YARNOrder/yarnComInfo) 0-1 - note: <i>here must be specified those valid for the whole document</i>
<b>yarnCompos</b>	fibrous composition of a yarn product (XPath YARNOrder/YObody/YOitem/yarnCompos) 0-1
<b>yarnInWrap</b>	details specifying the inner wrapping of a yarn product (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnInWrap) 0-1 (XPath YARNOrder/yarnComInfo/yarnPack/yarnInWrap) 0-1
<b>yarnPack</b>	details of type of presentation used for the yarn (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack) 0-1 (XPath YARNOrder/yarnComInfo/yarnPack) 0-1
<b>yarnReel</b>	details of the packaging of a yarn product (bobbin and reel,..) (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel) 1-1 (XPath YARNOrder/yarnComInfo/yarnPack/yarnReel) 1-1
<b>yarnSpecs</b>	technical properties of a yarn product linked to an operation of the sub-contracted production of yarn or to the purchase of yarn (XPath YARNOrder/YObody/YOitem/yarnSpecs) 0-9
<b>YObody</b>	body of the document YARN PURCHASE ORDER (XPath YARNOrder/YObody) 1-1
<b>YOheader</b>	header of the document YARN PURCHASE ORDER (XPath YARNOrder/YOheader) 1-1
<b>YOitem</b>	line of the message YARN PURCHASE ORDER (XPath YARNOrder/YObody/YOitem) 1-unbounded

## 2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

AC_amount	amount of an Allowance or Charge - base type: decimal, fraction digits: 2, (XPath YARNOrder/terms/allowanceCharge/AC_amount) 1-1
AC_category	coded specification of an Allowance or Charge - base type: string, cod. table: T41 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T41.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T41.xml</a> (XPath YARNOrder/terms/allowanceCharge/AC_category) 1-1
AC_categoryText	free text description of an Allowance or Charge - base type: string, max length: 250, (XPath YARNOrder/terms/allowanceCharge/AC_categoryText) 1-1
AC_percent	amount of an Allowance or Charge as a percentage - base type: decimal, max inclusive: 100, fraction digits: 2,

	(XPath YARNOrder/terms/allowanceCharge/AC_percent) 1-1
added	additional code of the product (complementing the formers) - base type: string, max length: 80, (XPath YARNOrder/YObody/YOitem/yarnCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i>
additionalIdentifier	additional identification code of a Party, for example customs registries or others - base type: string, max length: 15, (XPath YARNOrder/YOheader/buyer/additionalIdentifier) 0-9 - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i> (XPath YARNOrder/YOheader/supplier/additionalIdentifier) 0-9 - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i>
@addType	qualifier of the additional coding of a product - base type: string, cod. table: T44 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml</a> (XPath YARNOrder/YObody/YOitem/yarnCode/added/@addType) [Optional] - nota: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i>
@application	force or similar condition (e.g. no. of revolutions) applied in a test as specified within the standard - base type: string, max length: 15, (XPath YARNOrder/YObody/YOitem/yarnSpecs/specValue/@application) [Optional] (XPath YARNOrder/YObody/YOitem/yarnSpecs/experimValue/@application) [Optional]
art	article number of the product - base type: string, max length: 80, (XPath YARNOrder/YObody/YOitem/yarnCode/art) 1-1
binaryObject	a binary large object containing an attached document - base type: base64Binary, (XPath YARNOrder/YOheader/refDoc/attachment/binaryObject) 0-1 (XPath YARNOrder/YObody/YOitem/refDoc/attachment/binaryObject) 0-1
brand	A brand name. - base type: string, (XPath YARNOrder/yarnComInfo/brand) 0-1 (XPath YARNOrder/YObody/YOitem/yarnComInfo/brand) 0-1
carrier	identification of the transport carrier - base type: string, max length: 40, (XPath YARNOrder/terms/transInfo/carrier) 0-1
@characterSet	the character set of the binary object if the mime type is text - base type: normalizedString, (XPath YARNOrder/YObody/YOitem/refDoc/attachment/binaryObject/@characterSet) [Optional] (XPath YARNOrder/YOheader/refDoc/attachment/binaryObject/@characterSet) [Optional]
characterSetCode	the character set of an external document - base type: normalizedString, (XPath YARNOrder/YObody/YOitem/refDoc/attachment/externalReference/characterSetCode) 0-1 (XPath YARNOrder/YOheader/refDoc/attachment/externalReference/characterSetCode) 0-1

city	<p>name of the city (town, village)</p> <p>- base type: string, max length: 40,  (XPath YARNOrder/YObody/YOitem/thirdParty/city) 0-1  (XPath YARNOrder/YOheader/buyer/city) 0-1  (XPath YARNOrder/YOheader/supplier/city) 0-1  (XPath YARNOrder/YOheader/thirdParty/city) 0-1</p>
@codeList	<p>it specifies the URL where the list of codes used to make an instance of the element can be found</p> <p>- base type: string, max length: 255,  (XPath YARNOrder/yarnComInfo/operationalCode/@codeList) [Optional]  (XPath YARNOrder/yarnComInfo/productLine/@codeList) [Optional]  (XPath YARNOrder/terms/allowanceCharge/dtScheme/legalRef/@codeList) [Required]</p> <p>(XPath YARNOrder/yarnComInfo/brand/@codeList) [Optional]  (XPath YARNOrder/yarnComInfo/season/@codeList) [Optional]  (XPath YARNOrder/terms/allowanceCharge/dtScheme/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath YARNOrder/YOheader/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath YARNOrder/YObody/YOitem/yarnCode/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute could be used as alternative to the others</i>  (XPath YARNOrder/YObody/YOitem/dtScheme/legalRef/@codeList) [Required]  (XPath YARNOrder/YObody/YOitem/dtScheme/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath YARNOrder/YObody/YOitem/yarnCode/art/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be ALTERNATIVE to the others</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/brand/@codeList) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/season/@codeList) [Optional]  (XPath YARNOrder/YOheader/refDoc/season/@codeList) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/productLine/@codeList) [Optional]</p> <p>(XPath YARNOrder/yarnComInfo/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath YARNOrder/YOheader/season/@codeList) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/operationalCode/@codeList) [Optional]</p> <p>(XPath YARNOrder/YObody/YOitem/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath YARNOrder/YObody/YOitem/refDoc/season/@codeList) [Optional]</p>
@codeQualifier	<p>operational code qualifier: it states if the code is related to a project, an event, an initiative, a sales channel, a management type (eg CITES), .....</p> <p>- base type: string, cod. table: NT43  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT43.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT43.xml</a>  (XPath YARNOrder/yarnComInfo/operationalCode/@codeQualifier) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/operationalCode/@codeQualifier) [Optional]</p>
color	<p>colour number of the product, when not included in the model or fabric code</p> <p>- base type: string, max length: 15,  (XPath YARNOrder/YObody/YOitem/yarnCode/color) 0-1</p>
comDiscount	<p>percent discount applied to the related unit price or amount</p> <p>- base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,  (XPath YARNOrder/YObody/YOitem/comDiscount) 0-1</p>
country	<p>code of the nation</p> <p>- base type: string, cod. table: T10  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml</a>  (XPath YARNOrder/YOheader/buyer/country) 0-1  (XPath YARNOrder/YOheader/supplier/country) 0-1  (XPath YARNOrder/YObody/YOitem/thirdParty/country) 0-1</p>

	(XPath YARNOrder/YOheader/thirdParty/country) 0-1
@currency	<p>currency in which a specified monetary data is expressed</p> <p>- base type: string, cod. table: T9  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml</a>  (XPath YARNOrder/YObody/YOitem/price/@currency) [Optional]</p> <p>- nota: <i>Currency referred by the price.</i>  (XPath YARNOrder/terms/allowanceCharge/@currency) [Optional]</p>
@currencyUseQualifier	<p>qualification of another currency used in the document</p> <p>- base type: string, cod. table: NT19  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT19.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT19.xml</a>  (XPath YARNOrder/YOheader/otherCurrency/@currencyUseQualifier) [Required]</p>
@CV	<p>coefficient of variation (CV) of a measurement</p> <p>- base type: decimal,  (XPath YARNOrder/YObody/YOitem/yarnSpecs/specValue/@CV) [Optional]</p>
@dateForm	<p>format used for the date</p> <p>- base type: string, cod. table: NT29  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml</a>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/specDate/@dateForm) [Optional]  (XPath YARNOrder/terms/transInfo/delEffectiveDate/@dateForm) [Optional]  (XPath YARNOrder/yarnComInfo/deliveryDate/@dateForm) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/deliveryDate/@dateForm) [Optional]  (XPath YARNOrder/YObody/YOitem/refDoc/docDate/@dateForm) [Optional]  (XPath YARNOrder/yarnComInfo/specDate/@dateForm) [Optional]  (XPath YARNOrder/terms/transInfo/despatchDate/@dateForm) [Optional]  (XPath YARNOrder/YOheader/msgDate/@dateForm) [Optional]  (XPath YARNOrder/YOheader/refDoc/docDate/@dateForm) [Optional]</p>
delEffectiveDate	<p>effective date of delivery of goods (declared in Despatch), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,  (XPath YARNOrder/terms/transInfo/delEffectiveDate) 0-1</p>
deliveryDate	<p>date of delivery of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,  (XPath YARNOrder/YObody/YOitem/yarnComInfo/deliveryDate) 0-1  (XPath YARNOrder/yarnComInfo/deliveryDate) 0-1</p>
deliveryPlace	<p>place of delivery of goods, ultimate or related to a given leg</p> <p>- base type: string, max length: 250,  (XPath YARNOrder/terms/transInfo/deliveryPlace) 0-1</p>
dept	<p>name or code of a contact department within a Party</p> <p>- base type: string, max length: 40,  (XPath YARNOrder/YObody/YOitem/thirdParty/dept) 0-1  (XPath YARNOrder/YOheader/thirdParty/dept) 0-1  (XPath YARNOrder/YOheader/supplier/dept) 0-1  (XPath YARNOrder/YOheader/buyer/dept) 0-1</p>
description	<p>free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language).</p> <p>- base type: string, max length: 250,  (XPath YARNOrder/YObody/YOitem/yarnCode/description) 0-unbounded  - note: <i>Product description</i></p>
despatchDate	<p>date of despatch of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,  (XPath YARNOrder/terms/transInfo/despatchDate) 0-1</p>

despatchPlace	place of despatch of goods, origin or related to a given leg - base type: string, max length: 250, (XPath YARNOrder/terms/transInfo/despatchPlace) 0-1
docDate	date of issue of the referenced document, according to one of the patterns Y YYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath YARNOrder/YObody/YOitem/refDoc/docDate) 0-1 (XPath YARNOrder/YOheader/refDoc/docDate) 0-1
docID	identification number of the referenced document SINCE 2008-1 ITS USE I N THE HEADER IS DISCOURAGED (REPLACED BY msgID) - base type: string, max length: 80, (XPath YARNOrder/YObody/YOitem/refDoc/docID) 1-2 (XPath YARNOrder/YOheader/docID) 0-1 (XPath YARNOrder/YOheader/refDoc/docID) 1-2
@docType	type or class to which the referenced document belongs - base type: string, cod. table: T21 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml</a> (XPath YARNOrder/YOheader/refDoc/@docType) [Required] (XPath YARNOrder/YObody/YOitem/refDoc/@docType) [Required]
dyeN	number of the dyeing batch of a textile product - base type: string, max length: 15, (XPath YARNOrder/YObody/YOitem/dyeN) 0-2 - note: <i>it can be specified by the Buyer in case of stock service</i>
@email	electronic mail address of the contact person within a Party - base type: string, max length: 250, (XPath YARNOrder/YObody/YOitem/thirdParty/person/@email) [Optional] (XPath YARNOrder/YOheader/supplier/person/@email) [Optional] (XPath YARNOrder/YOheader/thirdParty/person/@email) [Optional] (XPath YARNOrder/YOheader/buyer/person/@email) [Optional]
@encoding	specifies the decoding algorithm of the binary object - base type: normalizedString, (XPath YARNOrder/YObody/YOitem/refDoc/attachment/ binaryObject/@encoding) [Optional] (XPath YARNOrder/YOheader/refDoc/attachment/binaryObject/@encoding) [Optional]
encodingCode	the encoding/decoding algorithm used with the external object - base type: normalizedString, (XPath YARNOrder/YOheader/refDoc/attachment/externalReference/encodingCode) 0-1 (XPath YARNOrder/YObody/YOitem/refDoc/attachment/ externalReference/encodingCode) 0-1
@endUse	specifies the final use of the fabric - base type: string, cod. table: NT4 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT4.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT4.xml</a> (XPath YARNOrder/YObody/YOitem/yarnComInfo/@endUse) [Optional] [Default= P R] - nota: <i>When used for yarns, use only PR: Production or SA: Sample codes.</i> (XPath YARNOrder/yarnComInfo/@endUse) [Optional] [Default= PR] - nota: <i>When used for yarns, use only PR: Production or SA: Sample codes.</i>
@exchangeRate	Currency exchange rate - base type: decimal, min inclusive: 0, (XPath YARNOrder/YOheader/otherCurrency/@exchangeRate) [Optional] - nota: <i>Set the exchange rate of this currency to be applied on the message currency (msgCurrecy) to obtain the final value in this currency.</i>
experimValue	experimental value of the measurement - base type: decimal,

	(XPath YARNOrder/YObody/YOitem/yarnSpecs/experimValue) 0-1
@fax	fax number of the contact person within a Party - base type: string, max length: 35, (XPath YARNOrder/YOheader/thirdParty/person/@fax) [Optional] (XPath YARNOrder/YOheader/buyer/person/@fax) [Optional] (XPath YARNOrder/YObody/YOitem/thirdParty/person/@fax) [Optional] (XPath YARNOrder/YOheader/supplier/person/@fax) [Optional]
@fibre	type of fibre used in a textile product - base type: string, cod. table: T19 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml</a> (XPath YARNOrder/YObody/YOitem/yarnCompos/percCompos/@fibre) [Required]
fileName	unique identifier (name) of the file - base type: string, max length: 255, (XPath YARNOrder/YObody/YOitem/refDoc/attachment/fileName) 0-1 (XPath YARNOrder/YOheader/refDoc/attachment/fileName) 0-1
@finDiscount	financial discount rate applied for payment by the date specified - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNOrder/terms/payment/@finDiscount) [Optional]
@finSurcharge	financial surcharge rate applied for payment after the date specified - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNOrder/terms/payment/@finSurcharge) [Optional]
@format	the format of the binary content - base type: string, (XPath YARNOrder/YOheader/refDoc/attachment/binaryObject/@format) [Optional] (XPath YARNOrder/YObody/YOitem/refDoc/attachment/binaryObject/@format) [Optional]
formatCode	the format of the external object - base type: normalizedString, (XPath YARNOrder/YObody/YOitem/refDoc/attachment/externalReference/formatCode) 0-1 (XPath YARNOrder/YOheader/refDoc/attachment/externalReference/formatCode) 0-1
goodsAmount	total monetary value of the goods and services considered in the message - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/totals/goodsAmount) 1-1
grossWeight	the gross weight, declared for transport or customs purpose - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/terms/transInfo/grossWeight) 0-1
id	primary identification code of a Party; it is recommended the format: nation code (ISO 3166) + VAT identification number (11 crt), with the qualifier "numberingOrg"= MF - base type: string, max length: 15, (XPath YARNOrder/YOheader/supplier/id) 1-1 (XPath YARNOrder/YOheader/buyer/id) 1-1 (XPath YARNOrder/YOheader/thirdParty/id) 1-1 (XPath YARNOrder/YObody/YOitem/thirdParty/id) 1-1
@idCO	primary identification code of the Party executing the test; it is recommended the format: nation code (ISO 3166) + VAT identification number (11 crt). - base type: string, max length: 15, (XPath YARNOrder/YObody/YOitem/yarnSpecs/experimValue/@idCO) [Optional]
@idQualifier	Qualification of the identifier. - base type: string, (XPath YARNOrder/YOheader/supplier/additionalIdentifier/@idQualifier) [Optional]

	<p>- nota: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i>  (XPath YARNOOrder/YOheader/buyer/additionalIdentifier/@idQualifier) [Optional]</p> <p>- nota: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i></p>
incoTerm	<p>specification of the terms of trade (INCOTERMS)  - base type: string, cod. table: T3  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T3.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T3.xml</a>  (XPath YARNOOrder/terms/trade/incoTerm) 1-1</p>
incoTermText	<p>free text specifying the terms of trade (incoterm, location)  - base type: string, max length: 250,  (XPath YARNOOrder/terms/trade/incoTermText) 1-1</p>
@isURL	<p>it indicates if the referred element is an URL (true) or not (false)  - base type: boolean,  (XPath YARNOOrder/YOheader/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: <i>usage of URLs is recommended</i>  (XPath YARNOOrder/YObody/YOitem/refDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]  - nota: <i>usage of URLs is recommended</i></p>
itemID	<p>number of the line/item of the referenced document  - base type: string, max length: 6,  (XPath YARNOOrder/YOheader/refDoc/itemID) 0-1  (XPath YARNOOrder/YObody/YOitem/refDoc/itemID) 0-1</p>
label	<p>indicates if the physical object specified has to be labelled  - base type: boolean,  (XPath YARNOOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnInWrap/label) 0-1  (XPath YARNOOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/label) 0-1  (XPath YARNOOrder/yarnComInfo/yarnPack/yarnReel/label) 0-1  (XPath YARNOOrder/yarnComInfo/yarnPack/yarnInWrap/label) 0-1</p>
labelWrit	<p>text that must be written on the lable of a specified physical object when its customization is required  - base type: string, max length: 350,  (XPath YARNOOrder/yarnComInfo/yarnPack/yarnReel/labelWrit) 0-1  (XPath YARNOOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/labelWrit) 0-1  (XPath YARNOOrder/yarnComInfo/yarnPack/yarnInWrap/labelWrit) 0-1  (XPath YARNOOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnInWrap/labelWrit) 0-1</p>
legalName	<p>legal name of a Party  - base type: string, max length: 250,  (XPath YARNOOrder/YOheader/supplier/legalName) 0-1  (XPath YARNOOrder/YObody/YOitem/thirdParty/legalName) 0-1  (XPath YARNOOrder/YOheader/thirdParty/legalName) 0-1  (XPath YARNOOrder/YOheader/buyer/legalName) 0-1</p>
legalRef	<p>legal reference of the duty or tax or fee category  - base type: string,  (XPath YARNOOrder/terms/allowanceCharge/dtScheme/legalRef) 0-1  (XPath YARNOOrder/YObody/YOitem/dtScheme/legalRef) 0-1</p>
lineN	<p>number of the line item of the present message (xml document); it is set by the role that produces the document. Usually it is a progressive number, but not always.  - base type: positiveInteger, min inclusive: 1, max inclusive: 9999,  (XPath YARNOOrder/YObody/YOitem/lineN) 1-1</p>

<p>@listName</p>	<p>the name of the list of codes used to make an instance of the element (it might be thought as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264")</p> <p>- base type: string, max length: 40,  (XPath YARNOrder/YObody/YOitem/yarnComInfo/productLine/@listName) [Optional]  (XPath YARNOrder/yarnComInfo/productLine/@listName) [Optional]  (XPath YARNOrder/YOheader/season/@listName) [Optional]  (XPath YARNOrder/yarnComInfo/operationalCode/@listName) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnCode/art/@listName) [Optional]  - nota: <i>this attribute should always be used coupled with "numberingOrg"</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/brand/@listName) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/season/@listName) [Optional]  (XPath YARNOrder/yarnComInfo/brand/@listName) [Optional]  (XPath YARNOrder/yarnComInfo/season/@listName) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnCode/color/@listName) [Optional]  - nota: <i>this attribute should always be used coupled with "numberingOrg"</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/operationalCode/@listName) [Optional]  (XPath YARNOrder/YOheader/refDoc/season/@listName) [Optional]  (XPath YARNOrder/YObody/YOitem/refDoc/season/@listName) [Optional]</p>
<p>@listVersion</p>	<p>it specifies the version of the list of codes used to make an instance of the element</p> <p>- base type: string, max length: 6,  (XPath YARNOrder/YOheader/refDoc/season/@listVersion) [Optional]  (XPath YARNOrder/yarnComInfo/operationalCode/@listVersion) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnCode/art/@listVersion) [Optional]  - nota: <i>this attribute should always be used coupled with "numberingOrg" and "listName"</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/season/@listVersion) [Optional]  (XPath YARNOrder/YOheader/season/@listVersion) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnCode/color/@listVersion) [Optional]  - nota: <i>this attribute should always be used coupled with "numberingOrg" and "listName"</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/brand/@listVersion) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/operationalCode/@listVersion) [Optional]  (XPath YARNOrder/yarnComInfo/productLine/@listVersion) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/productLine/@listVersion) [Optional]  (XPath YARNOrder/YObody/YOitem/refDoc/season/@listVersion) [Optional]  (XPath YARNOrder/yarnComInfo/season/@listVersion) [Optional]  (XPath YARNOrder/yarnComInfo/brand/@listVersion) [Optional]</p>
<p>@ln</p>	<p>Language code.</p> <p>- base type: string,  (XPath YARNOrder/YObody/YOitem/yarnCode/description/@ln) [Optional]</p>
<p>location</p>	<p>specification of a location</p> <p>- base type: string, max length: 40,  (XPath YARNOrder/terms/trade/location) 0-1  - note: <i>place to which the INCOTERM applies</i></p>
<p>@logo</p>	<p>company logo (URL of the image jpeg or gif). It is recommended that the width of the image does not exceed 640 pixel.</p> <p>- base type: string, max length: 255,  (XPath YARNOrder/YOheader/buyer/@logo) [Optional]  (XPath YARNOrder/YOheader/supplier/@logo) [Optional]</p>
<p>lotN</p>	<p>lot number of a product or batch number of the raw material</p> <p>- base type: string, max length: 15,  (XPath YARNOrder/YObody/YOitem/lotN) 0-2  - note: <i>it can be specified by the Buyer in case of stock service</i></p>

@LRI	attribute usable to format a string according to a customized User rule (local rule) - base type: string, cod. table: NT3 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml</a> (XPath YARNOOrder/terms/trade/location/@LRI) [Optional]
@maxQty	maximum product quantity - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOOrder/terms/allowanceCharge/@maxQty) [Optional] - nota: <i>maximum quantity of product for the application of this allowance or charge</i>
@method	standard protocol or method employed in a test to evaluate a characteristic or a parameter - base type: string, max length: 80, (XPath YARNOOrder/YObody/YOitem/yarnSpecs/experimValue/@method) [Optional] - nota: <i>we recommend the specification of the method of measure only when different from the one of the MODA-ML coding system</i> (XPath YARNOOrder/YObody/YOitem/yarnSpecs/specValue/@method) [Optional]
@mime	the mime type of the binary object - base type: normalizedString, (XPath YARNOOrder/YOheader/refDoc/attachment/binaryObject/@mime) [Optional] (XPath YARNOOrder/YObody/YOitem/refDoc/attachment/binaryObject/@mime) [Optional]
mimeCode	mime type of the external object - base type: normalizedString, (XPath YARNOOrder/YObody/YOitem/refDoc/attachment/externalReference/mimeCode) 0-1 (XPath YARNOOrder/YOheader/refDoc/attachment/externalReference/mimeCode) 0-1
@minQty	minimum product quantity - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOOrder/terms/allowanceCharge/@minQty) [Optional] - nota: <i>minimum quantity of product for the application of this allowance or charge</i>
msgCurrency	currency used to express the monetary amounts of the message - base type: string, cod. table: T9 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml</a> (XPath YARNOOrder/YOheader/msgCurrency) 0-1
msgDate	date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath YARNOOrder/YOheader/msgDate) 1-1
@msgfunction	function performed by the present message with regards to the transmission - base type: string, cod. table: NT18 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml</a> (XPath YARNOOrder/@msgfunction) [Optional] [Default= OR]
msgID	key identifier of the business document in the information system of the issuing Party. In case of more despatches of the same business document, it is unchanged. - base type: string, max length: 35, (XPath YARNOOrder/YOheader/msgID) 0-1
msgN	identification number given to the message (xml document) by its issuer. In case of more despatches of the same business document, it changes. - base type: string, max length: 35, (XPath YARNOOrder/YOheader/msgN) 1-1

netWeight	<p>the net weight declared for transport or customs purpose</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/terms/transInfo/netWeight) 0-1</li> </ul>
note	<p>free text or structured (computer processing) note. For note structuring use the attributes "noteLabel" and "codelist"</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 350, (XPath YARNOrder/YOheader/note) 0-99</li> <li>(XPath YARNOrder/YObody/YOitem/dtScheme/note) 0-99</li> <li>(XPath YARNOrder/YObody/YOitem/yarnComInfo/note) 0-99</li> <li>(XPath YARNOrder/terms/allowanceCharge/dtScheme/note) 0-99</li> <li>(XPath YARNOrder/YObody/YOitem/note) 0-99</li> <li>(XPath YARNOrder/yarnComInfo/note) 0-99</li> </ul>
@noteLabel	<p>subject qualifier of a note</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 35, (XPath YARNOrder/yarnComInfo/note/@noteLabel) [Optional]</li> <li>- nota: <i>must be used to qualify the subject of the note</i> (XPath YARNOrder/YObody/YOitem/yarnComInfo/note/@noteLabel) [Optional]</li> <li>- nota: <i>must be used to qualify the subject of the note</i> (XPath YARNOrder/terms/allowanceCharge/dtScheme/note/@noteLabel) [Optional]</li> <li>- nota: <i>must be used to qualify the subject of the note</i> (XPath YARNOrder/YObody/YOitem/note/@noteLabel) [Optional]</li> <li>- nota: <i>must be used to qualify the subject of the note</i> (XPath YARNOrder/YObody/YOitem/dtScheme/note/@noteLabel) [Optional]</li> <li>- nota: <i>must be used to qualify the subject of the note</i> (XPath YARNOrder/YOheader/note/@noteLabel) [Optional]</li> <li>- nota: <i>must be used to qualify the subject of the note</i></li> </ul>
@numberingOrg	<p>code specifying the organisation who has created or owns the coding or numbering system</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: NT6 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml</a></li> <li>(XPath YARNOrder/terms/allowanceCharge/dtScheme/note/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/yarnCode/color/@numberingOrg) [Optional]</li> <li>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></li> <li>(XPath YARNOrder/YOheader/supplier/id/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YOheader/supplier/additionalIdentifier/@numberingOrg) [Optional]</li> <li>- nota: <i>here the issuer of the identifier must be specified</i></li> <li>(XPath YARNOrder/YObody/YOitem/dtScheme/note/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YOheader/refDoc/attachment/fileName/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/yarnComInfo/productLine/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/yarnCode/art/@numberingOrg) [Optional]</li> <li>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></li> <li>(XPath YARNOrder/YObody/YOitem/yarnCode/added/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/yarnCode/@numberingOrg) [Optional] [Default = CL]</li> <li>(XPath YARNOrder/YObody/YOitem/note/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/yarnComInfo/season/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/lotN/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/yarnComInfo/operationalCode/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/refDoc/docID/@numberingOrg) [Optional]</li> <li>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></li> <li>(XPath YARNOrder/YOheader/buyer/id/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YObody/YOitem/dyeN/@numberingOrg) [Optional]</li> <li>(XPath YARNOrder/YOheader/buyer/additionalIdentifier/@numberingOrg) [Optional]</li> <li>- nota: <i>here the issuer of the identifier must be specified</i></li> </ul>

	<p>(XPath YARNOrder/YOheader/season/@numberingOrg) [Optional]  (XPath YARNOrder/yarnComInfo/note/@numberingOrg) [Optional]  (XPath YARNOrder/YOheader/docID/@numberingOrg) [Optional]  - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i>  (XPath YARNOrder/YObody/YOitem/yarnComInfo/season/@numberingOrg) [Optional]  (XPath YARNOrder/YOheader/refDoc/season/@numberingOrg) [Optional]  (XPath YARNOrder/yarnComInfo/productLine/@numberingOrg) [Optional]  (XPath YARNOrder/YObody/YOitem/refDoc/attachment/fileName/@numberingOrg) [Optional]  (XPath YARNOrder/YObody/YOitem/thirdParty/id/@numberingOrg) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/note/@numberingOrg) [Optional]  (XPath YARNOrder/yarnComInfo/brand/@numberingOrg) [Optional]  (XPath YARNOrder/YOheader/note/@numberingOrg) [Optional]  (XPath YARNOrder/YOheader/refDoc/docID/@numberingOrg) [Optional]  - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i>  (XPath YARNOrder/YObody/YOitem/refDoc/season/@numberingOrg) [Optional]  (XPath YARNOrder/yarnComInfo/operationalCode/@numberingOrg) [Optional]  (XPath YARNOrder/YOheader/thirdParty/id/@numberingOrg) [Optional]  (XPath YARNOrder/YObody/YOitem/yarnComInfo/brand/@numberingOrg) [Optional]</p>
operationalCode	<p>operational code: it is the code of a project, an event, an initiative, a sales channel, a management type (eg CITES), ... the document, or product, is connected with.  - base type: string,  (XPath YARNOrder/YObody/YOitem/yarnComInfo/operationalCode) 0-19  (XPath YARNOrder/yarnComInfo/operationalCode) 0-19</p>
otherCurrency	<p>other currency used in the document  - base type: string, cod. table: T9  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml</a>  (XPath YARNOrder/YOheader/otherCurrency) 0-9</p>
@part	<p>percent fraction of a total payment  - base type: decimal, min inclusive: 1, max inclusive: 99, fraction digits: 2,  (XPath YARNOrder/terms/insPayment/@part) [Required]  - nota: <i>here the % value of each installment must be indicated</i></p>
payMode	<p>way or means of payment  - base type: string, cod. table: T2  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T2.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T2.xml</a>  (XPath YARNOrder/terms/insPayment/payMode) 0-1  (XPath YARNOrder/terms/payment/payMode) 0-1</p>
payTerm	<p>code specifying the terms or time by which the payment must be done  - base type: string, cod. table: T1  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T1.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T1.xml</a>  (XPath YARNOrder/terms/payment/payTerm) 1-1  (XPath YARNOrder/terms/insPayment/payTerm) 1-1</p>
payTermText	<p>free text specifying the terms by which the payment must be done (time/mode or means)  - base type: string, max length: 250,  (XPath YARNOrder/terms/insPayment/payTermText) 1-1  (XPath YARNOrder/terms/payment/payTermText) 1-1</p>
pcTolerance	<p>percent deviation tolerated on the value of a measurement (it must have a plus or minus sign)  - base type: decimal, min inclusive: 0, max inclusive: 100, total digits: 2,  (XPath YARNOrder/YObody/YOitem/yarnSpecs/pcTolerance) 0-2</p>
percCompos	<p>fiber rate in the product composition  - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,  (XPath YARNOrder/YObody/YOitem/yarnCompos/percCompos) 1-9</p>

@percCond	percentage of conditioning to be applied to the payment of a yarn supply - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath YARNOrder/yarnComInfo/yarnPay/@percCond) [Optional] - nota: <i>element to be used only when conditioned payments occur</i> (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPay/@percCond) [Optional] - nota: <i>element to be used only when conditioned payments occur</i>
person	name of the contact person within a Party - base type: string, max length: 40, (XPath YARNOrder/YOheader/thirdParty/person) 0-1 (XPath YARNOrder/YObody/YOitem/thirdParty/person) 0-1 (XPath YARNOrder/YOheader/supplier/person) 0-1 (XPath YARNOrder/YOheader/buyer/person) 0-1
@phone	phone number of the contact person within a Party - base type: string, max length: 35, (XPath YARNOrder/YOheader/buyer/person/@phone) [Optional] (XPath YARNOrder/YObody/YOitem/thirdParty/person/@phone) [Optional] (XPath YARNOrder/YOheader/supplier/person/@phone) [Optional] (XPath YARNOrder/YOheader/thirdParty/person/@phone) [Optional]
postCode	code defining the postal zone - base type: string, max length: 10, (XPath YARNOrder/YOheader/buyer/postCode) 0-1 (XPath YARNOrder/YObody/YOitem/thirdParty/postCode) 0-1 (XPath YARNOrder/YOheader/thirdParty/postCode) 0-1 (XPath YARNOrder/YOheader/supplier/postCode) 0-1
price	unit price of the article, object or service specified - base type: decimal, min inclusive: 0, fraction digits: 4, (XPath YARNOrder/YObody/YOitem/price) 0-1
@priceQualifier	type of price with reference to discount and taxes - base type: string, cod. table: NT20 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT20.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT20.xml</a> (XPath YARNOrder/YObody/YOitem/price/@priceQualifier) [Optional] [Default= NET ]
productLine	the product line name of a fashion product. - base type: string, (XPath YARNOrder/YObody/YOitem/yarnComInfo/productLine) 0-1 (XPath YARNOrder/yarnComInfo/productLine) 0-1
@progr	progressive number in the sequence - base type: positiveInteger, min inclusive: 1, (XPath YARNOrder/terms/transInfo/@progr) [Optional] - nota: <i>Indicates the position of the leg in a sequence of transport legs.</i>
project	code used to assign the items ordered (fabric pieces, accessories, garments ... ) to a specific project of the Client - base type: string, max length: 40, (XPath YARNOrder/YObody/YOitem/yarnComInfo/project) 0-1 (XPath YARNOrder/yarnComInfo/project) 0-1
qty	net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/YObody/YOitem/qty) 1-2 <hr/> <b>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en</b>
@reelMat	type of material of which a package for yarn is made - base type: string, cod. table: T30 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T30.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T30.xml</a> (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/@reelMat) [Optional] (XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/@reelMat) [Optional]

@reelType	<p>type of package used for a yarn product</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: T29</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T29.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T29.xml</a></li> <li>(XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/@reelType) [Required]</li> <li>(XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/@reelType) [Required]</li> </ul>
@role	<p>Third Party role qualifier</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: NT2</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml</a></li> <li>(XPath YARNOrder/YOheader/thirdParty/@role) [Required]</li> <li>(XPath YARNOrder/YObody/YOitem/thirdParty/@role) [Required]</li> </ul>
season	<p>sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc.</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 15,</li> <li>(XPath YARNOrder/yarnComInfo/season) 0-1</li> <li>(XPath YARNOrder/YOheader/refDoc/season) 0-1</li> <li>- note: here indicates the season to which the referenced document belongs</li> <li>(XPath YARNOrder/YObody/YOitem/yarnComInfo/season) 0-1</li> <li>(XPath YARNOrder/YObody/YOitem/refDoc/season) 0-1</li> <li>- note: here indicates the season to which the referenced document belongs</li> <li>(XPath YARNOrder/YOheader/season) 0-1</li> <li>- note: usually this information is in yarnComInfo group, exceptionally could be related to the only order document</li> </ul>
@sender	<p>qualifier that specifies the Party issuing of the document</p> <ul style="list-style-type: none"> <li>- base type: boolean,</li> <li>(XPath YARNOrder/YOheader/supplier/@sender) [Optional]</li> <li>- nota: This attribute is mandatory when the STYLESHEET must be used</li> <li>(XPath YARNOrder/YOheader/thirdParty/@sender) [Optional]</li> <li>- nota: This attribute is mandatory when the STYLESHEET must be used</li> <li>(XPath YARNOrder/YOheader/buyer/@sender) [Optional]</li> <li>- nota: This attribute is mandatory when the STYLESHEET must be used</li> <li>(XPath YARNOrder/YObody/YOitem/thirdParty/@sender) [Optional]</li> <li>- nota: This attribute is mandatory when the STYLESHEET must be used</li> </ul>
@source	<p>party who has provided the data</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: NT12</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT12.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT12.xml</a></li> <li>(XPath YARNOrder/YObody/YOitem/yarnSpecs/specValue/@source) [Optional]</li> </ul>
specDate	<p>date by which the referenced blanket order must receive full product specific ations (e.g.: colour), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <ul style="list-style-type: none"> <li>- base type: string,</li> <li>(XPath YARNOrder/YObody/YOitem/yarnComInfo/specDate) 0-1</li> <li>(XPath YARNOrder/yarnComInfo/specDate) 0-1</li> </ul>
specValue	<p>value requested for a property or a parameter that is measured</p> <ul style="list-style-type: none"> <li>- base type: decimal,</li> <li>(XPath YARNOrder/YObody/YOitem/yarnSpecs/specValue) 0-1</li> </ul>
street	<p>street and building number identifying a location</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 80,</li> <li>(XPath YARNOrder/YOheader/thirdParty/street) 0-1</li> <li>(XPath YARNOrder/YOheader/supplier/street) 0-1</li> <li>(XPath YARNOrder/YOheader/buyer/street) 0-1</li> <li>(XPath YARNOrder/YObody/YOitem/thirdParty/street) 0-1</li> </ul>
subCountry	<p>short name or code of the sub-country entity</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 9,</li> <li>(XPath YARNOrder/YOheader/supplier/subCountry) 0-1</li> <li>(XPath YARNOrder/YObody/YOitem/thirdParty/subCountry) 0-1</li> <li>(XPath YARNOrder/YOheader/thirdParty/subCountry) 0-1</li> <li>(XPath YARNOrder/YOheader/buyer/subCountry) 0-1</li> </ul>

subDept	name or code of a contact department within a Party - base type: string, max length: 40, <a href="#">(XPath YARNOrder/YOheader/supplier/subDept) 0-1</a> <a href="#">(XPath YARNOrder/YOheader/thirdParty/subDept) 0-1</a> <a href="#">(XPath YARNOrder/YObody/YOitem/thirdParty/subDept) 0-1</a> <a href="#">(XPath YARNOrder/YOheader/buyer/subDept) 0-1</a>
taxCategory	duty or tax or fee category - base type: string, cod. table: T62 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T62.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T62.xml</a> <a href="#">(XPath YARNOrder/YObody/YOitem/dtScheme/taxCategory) 0-1</a> <a href="#">(XPath YARNOrder/terms/allowanceCharge/dtScheme/taxCategory) 0-1</a>
taxRate	duty or tax or fee percent rate - base type: string, <a href="#">(XPath YARNOrder/terms/allowanceCharge/dtScheme/taxRate) 0-1</a> <a href="#">(XPath YARNOrder/YObody/YOitem/dtScheme/taxRate) 0-1</a>
@taxType	duty or tax or fee type - base type: string, cod. table: T61 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T61.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T61.xml</a> <a href="#">(XPath YARNOrder/YObody/YOitem/dtScheme/@taxType) [Required]</a> <a href="#">(XPath YARNOrder/terms/allowanceCharge/dtScheme/@taxType) [Required]</a>
tolerance	deviation tolerated on the value of a measurement (it must have a plus or minus sign) - base type: decimal, <a href="#">(XPath YARNOrder/YObody/YOitem/yarnSpecs/tolerance) 0-2</a>
totQty	total quantity of the articles related to the whole document - base type: decimal, min inclusive: 0, fraction digits: 2, <a href="#">(XPath YARNOrder/totals/totQty) 0-1</a>
@TOtype	type of Order - base type: string, cod. table: NT1 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT1.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT1.xml</a> <a href="#">(XPath YARNOrder/@TOtype) [Required]</a>
transCondition	special condition of transport or special service requested to the Forwarder - base type: string, cod. table: T38 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T38.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T38.xml</a> <a href="#">(XPath YARNOrder/terms/transInfo/transCondition) 0-3</a>
transConditionText	free text description of the special condition of transport or special service requested to the Forwarder - base type: string, max length: 250, <a href="#">(XPath YARNOrder/terms/transInfo/transConditionText) 0-1</a>
transMeans	means of transport, in general or referred to a specific leg - base type: string, cod. table: T40 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml</a> <a href="#">(XPath YARNOrder/terms/transInfo/transMeans) 0-1</a>
transMode	way of transport, in general or referred to the specified leg - base type: string, cod. table: T8 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml</a> <a href="#">(XPath YARNOrder/terms/transInfo/transMode) 1-1</a>
@transReason	reason for the transport - base type: string, cod. table: NT11 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT11.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT11.xml</a> <a href="#">(XPath YARNOrder/terms/transInfo/@transReason) [Optional]</a>
@uid	unique element identifier within the xml document - base type: string, <a href="#">(XPath YARNOrder/YObody/YOitem/refDoc/attachment/@uid) [Optional]</a> <a href="#">(XPath YARNOrder/YOheader/refDoc/attachment/@uid) [Optional]</a>

@um	<p>specification of the unit of measure</p> <p>- base type: string, cod. table: NT7</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml</a></p> <p>(XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/yarnReelQty/@um) [Required]</p> <p>(XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/yarnReelID/@um) [Required]</p> <p>(XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnReel/yarnReelH/@um) [Required]</p> <p>(XPath YARNOrder/totals/totQty/@um) [Required]</p> <p>(XPath YARNOrder/terms/transInfo/netWeight/@um) [Required]</p> <p>(XPath YARNOrder/terms/allowanceCharge/@um) [Optional]</p> <p>(XPath YARNOrder/terms/transInfo/grossWeight/@um) [Required]</p> <p>(XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnReelH/@um) [Required]</p> <p>(XPath YARNOrder/YObody/YOitem/yarnSpecs/tolerance/@um) [Required]</p> <p>(XPath YARNOrder/YObody/YOitem/yarnSpecs/specValue/@um) [Optional]</p> <p>(XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnReelQty/@um) [Required]</p> <p>(XPath YARNOrder/YObody/YOitem/yarnSpecs/experimValue/@um) [Optional]</p> <p>(XPath YARNOrder/YObody/YOitem/yarnSpecs/pcTolerance/@um) [Optional]</p> <p>- nota: <i>to be used when it has to be soecified if the declared percentage is b y weight, volume, etc...</i></p> <p>(XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnReelID/@um) [Required]</p> <p>(XPath YARNOrder/YObody/YOitem/price/@um) [Optional]</p> <p>- nota: <i>Unit of measure of the product to which the price is referred (price pe r meter)</i></p> <p>(XPath YARNOrder/YObody/YOitem/qty/@um) [Required]</p>
uri	<p>Uniform Resource Identifier (URI) that identifies the external object as an Internet resource</p> <p>- base type: normalizedString,</p> <p>(XPath YARNOrder/YOheader/refDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath YARNOrder/YObody/YOitem/refDoc/attachment/externalReference/uri) 1-1</p>
@useProfile	<p>use profile to which the present document if compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile.</p> <p>- base type: string,</p> <p>(XPath YARNOrder/@useProfile) [Optional]</p>
@VAT	<p>VAT rate or code (DEPRECATED, use dtScheme element)</p> <p>- base type: string, cod. table: NT16</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml</a></p> <p>(XPath YARNOrder/YOheader/thirdParty/@VAT) [Optional]</p> <p>(XPath YARNOrder/YObody/YOitem/lineN/@VAT) [Optional]</p> <p>- nota: <i>Deprecated, prefer dtScheme when available.</i></p> <p>(XPath YARNOrder/terms/allowanceCharge/@VAT) [Optional]</p> <p>(XPath YARNOrder/YObody/YOitem/thirdParty/@VAT) [Optional]</p>
@version	<p>Dictionary version from which the instance has been created</p> <p>- base type: string, cod. table: NT100</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml</a></p> <p>(XPath YARNOrder/@version) [Optional] [Default= draft]</p>
yarnChar	<p>physical or mechanical parameter used to define a property of a yarn</p> <p>- base type: string, cod. table: T24</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T24.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T24.xml</a></p> <p>(XPath YARNOrder/YObody/YOitem/yarnSpecs/yarnChar) 1-1</p>
yarnCharText	<p>free text describing the physical or mechanical parameter used to define a property of a yarn</p> <p>- base type: string, max length: 250,</p> <p>(XPath YARNOrder/YObody/YOitem/yarnSpecs/yarnCharText) 1-1</p>

yarnConeAngle	tapering angle of the cone on which a yarn is reeled - base type: positiveInteger, (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/ yarnReel/yarnConeAngle) 0-1 (XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnConeAngle) 0-1
yarnOutWrap	code specifying the type of outer wrapping or packing of a yarn - base type: string, cod. table: T33 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T33.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T33.xml</a> (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnOutWrap) 0-1 (XPath YARNOrder/yarnComInfo/yarnPack/yarnOutWrap) 0-1
yarnOutWrapText	free text specifying the type of outer wrapping or packing of a yarn - base type: string, max length: 250, (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/yarnOutWrapText) 0-1 (XPath YARNOrder/yarnComInfo/yarnPack/yarnOutWrapText) 0-1
yarnPay	type of payment to be applied to a yarn supply - base type: string, cod. table: T34 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T34.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T34.xml</a> (XPath YARNOrder/yarnComInfo/yarnPay) 0-1 (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPay) 0-1
yarnReelID	diameter of the bobbin used for a yarn product - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnReelID) 0-1 (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/ yarnReel/yarnReelID) 0-1
yarnReelH	height of the bobbin used a yarn product - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnReelH) 0-1 (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/ yarnReel/yarnReelH) 0-1
yarnReelQty	quantity of yarn (by weight or length) wound upon a bobbin - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/ yarnReel/yarnReelQty) 0-2 (XPath YARNOrder/yarnComInfo/yarnPack/yarnReel/yarnReelQty) 0-2
yarnReelWrap	type of wrapping in which a package of yarn is wrapped - base type: string, cod. table: T32 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T32.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T32.xml</a> (XPath YARNOrder/YObody/YOitem/yarnComInfo/yarnPack/ yarnInWrap/yarnReelWrap) 1-1 (XPath YARNOrder/yarnComInfo/yarnPack/yarnInWrap/yarnReelWrap) 1-1
yarnTreat	information on the special treatments and finishing of a yarn product - base type: string, cod. table: T35 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T35.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T35.xml</a> (XPath YARNOrder/YObody/YOitem/yarnTreat) 0-1

## 2.3 Suggested best practices

**YAROrder/YObody/YOitem/qty (net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context)**

this element can have two instances only if the units of measure are different

## 2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find the corresponding codes at:  
<http://www.ebiz-tcf.eu/moda-ml/imple/moda-ml-draft.asp?lingua=en&pag=6>

NT1 - Order type  
NT100 - eBIZ TCFUpstream version  
NT11 - transport causal  
NT12 - data source  
NT16 - VAT rate or code  
NT18 - message function  
NT19 - currency use qualifier  
NT2 - third party qualifier  
NT20 - price qualifier  
NT29 - format of a date  
NT3 - data format  
NT4 - end use  
NT43 - operational code qualifier  
NT6 - coding system owner/issuer  
NT7 - unit of measure  
T1 - terms of payment  
T10 - ISO3166 - Country  
T19 - fibre type  
T2 - Modes of payment  
T21 - type of document  
T24 - yarn characteristics type  
T29 - type of yarn package  
T3 - terms of delivery  
T30 - support of yarn package - material  
T32 - yarn reel wrapping type  
T33 - yarn outer packing  
T34 - yarn payment type  
T35 - yarn treatment type  
T38 - transport conditions  
T40 - type of transport means  
T41 - type of Allowance or Charge  
T44 - additional code type  
T61 - duty or tax or fee type  
T62 - duty or tax or fee category  
T8 - Modes of Transport  
T9 - ISO4217 - Currency

## ACKNOWLEDGEMENT



This action is part of the eBIZ-4.0 project, which has received funding from the European Union's COSME Programme (2014 - 2020).




## DISCLAIMER


The content of this document represents the views of the authors only and is their sole responsibility; it cannot be considered to reflect the views of the European Commission and/or the Executive Agency for Small and Medium-sized Enterprises (EASME) or any other body of the European Union.


The European Commission and the Agency do not accept any responsibility for use that may be made of the information it contains.

# Annex A

Representative images of the principal complex elements' structure.









## Annex B

### NT1 - Order type

type of Order

Agency name: eBIZ

tabella cod.: NT1

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT1.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT1.xml)

Code	Description	Adoption note	Date of insertion
A	blanket	the order is open without a concrete delivery of product; it establishes an amount of goods to be produced in a future	
D	call-off	orders an amount of goods to be delivered (and invoiced and produced if necessary); it is important that it is clear that this amount should be subtracted from the amount of the blanket order referred in the refDoc element	
P	reservation		
STANDARD	standard		

### NT100 - eBIZ TCFUpstream version

dictionary version

Agency name: eBIZ

tabella cod.: NT100

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT100.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml)

Code	Description	Adoption note	Date of insertion
2013-1	v2013-1		01/07/2013
2018-1	v2018-1		04/11/2018
draft	draft		08/09/2017

### NT11 - transport causal

reason for the transport

Agency name: eBIZ

tabella cod.: NT11

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT11.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT11.xml)

Code	Description	Adoption note	Date of insertion
FOC	free of charge		
FRW	return from re-works		
FST	return from storage		
FVW	return from view		
FWK	return from works		
IST	in storage		
NWK	return non-worked		
RJC	return from rejection		
SEL	to sell		
STO	to storage		
VEW	to view		
WRK	to works		

#### NT12 - data source

party who has provided the data

Agency name: eBIZ

tabella cod.: NT12

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT12.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT12.xml)

Code	Description	Adoption note	Date of insertion
AC	internal test		
CO	external test		
CV	test after steaming		

#### NT16 - VAT rate or code

VAT rate or code ( DEPRECATED, use dtScheme element )

tabella cod.: NT16

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT16.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT16.xml)

#### NT18 - message function

function performed by the present message with regards to the transmission

Agency name: eBIZ

tabella cod.: NT18

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT18.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT18.xml)

Code	Description	Adoption note	Date of insertion
CA	delete this document		01/07/2013
CP	copy		
OR	original		
RC	re-transmission for data correction		
RT	re-transmission		

### NT19 - currency use qualifier

qualification of another currency used in the document

Agency name: eBIZ

tabella cod.: NT19

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT19.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT19.xml)

Code	Description	Adoption note	Date of insertion
CAT	pricelist currency		
INV	invoicing currency		
ORD	order currency		
PAY	payment currency		
SAL	sales currency		

### NT2 - third party qualifier

Third Party role qualifier

Agency name: eBIZ

tabella cod.: NT2

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT2.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml)

Code	Description	Adoption note	Date of insertion
AG	Sales Agent		

CO	Quality Controller		
DC	Response to		
DF	Invoicee		
DI	Copy to (CC)		28/10/2014
DM	Consignee		
DP	Consignment address (Delivery Party)		
IM	Importer		
OR	Originator		10/09/2014
SP	Forwarder		
TX	Tax Representative		

### NT20 - price qualifier

type of price with reference to discount and taxes

Agency name: eBIZ

tabella cod.: NT20

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT20.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT20.xml)

Code	Description	Adoption note	Date of insertion
GET	gross excluding taxes		
GIT	gross including taxes		
NET	net excluding taxes		
NIT	net including taxes		

### NT29 - format of a date

format used for the date

Agency name: eBIZ

tabella cod.: NT29

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT29.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml)

Code	Description	Adoption note	Date of insertion
D	YYYY-MM-DD		
M	YYYY-MM-DD:HH-MM		
W	YYYY-WW		

### NT3 - data format

format of a string according to a customized User rule (local rule)

Agency name: eBIZ

tabella cod.: NT3

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT3.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml)

Code	Description	Adoption note	Date of insertion
EN4	GS1-GLN		01/07/2013
MD	mutually agreed		

### NT4 - end use

specifies the final use of the product

Agency name: eBIZ

tabella cod.: NT4

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT4.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT4.xml)

Code	Description	Adoption note	Date of insertion
PC	test piece		
PR	production		
SA	Sample		10/09/2014
SC	samples card		
TI	patch		
TP	(test cut)		

### NT43 - operational code qualifier

Agency name: eBIZ

tabella cod.: NT43

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT43.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT43.xml)

Code	Description	Adoption note	Date of insertion
1	event		08/09/2017
2	sales channel		08/09/2017

3	goods management type		08/09/2017
4	special initiative		08/09/2017

### NT6 - coding system owner/issuer

code specifying the organisation who has created or owns the coding or numbering system

Agency name: eBIZ

tabella cod.: NT6

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT6.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml)

Code	Description	Adoption note	Date of insertion
CL	Customer/buyer		
CO	Quality Controller		
EN	GS1 ( ex-EAN International )		
ES	e-Stockflow		
FO	Supplier		
GS	GS1		01/07/2013
MF	VAT identifier		
ML	Moda-ML		
SP	Service Provider		

### NT7 - unit of measure

specification of the unit of measure, it is a sub set of table Unit of Measure Code - UN/ECE REC 20 delivered by United Nations Economic Commission for Europe (UN/ECE)

Agency name: eBIZ / UN/ECE

tabella cod.: NT7

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_NT7.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml)

Other link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

Code	Description	Adoption note	Date of insertion
CMK	square centimetre		20/12/2017
CMQ	cubic centimetre		20/12/2017
CMT	centimetre		
CNE	centiNewton		
CO2TON	ton of CO2		10/09/2014
COUPLES	couples		

DMQ	cubic decimetre		
E37	pixel		11/04/2018
GRM	gram		
HUR	hour		
INH	inch		
KGM	kilogram		
KMT	kilometer		
KWH	kilowatthours		10/09/2014
LBR	pound		
MIN	minute		
MMK	centimetre		20/12/2017
MMK	square millimetre		20/12/2017
MTK	square metre		20/12/2017
MTQ	cubic metre		
MTR	metre		
NMB	numero		
ONZ	ounce		
P1	percent		
PPM	parts per milion		
PZ	piece		
RPM	rounds per metre		
YRD	yard		

### T1 - terms of payment

code specifying the terms or time by which the payment must be done

Agency name: eBIZ

tabella cod.: T1

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T1.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T1.xml)

Code	Description	Adoption note	Date of insertion
ANTICIP	PAYMENT IN ADVANCE		
BLCOLLECT/120D	BILL OF LADING 120 DD		
BLCOLLECT/30D	BILL OF LADING 30 DD		
BLCOLLECT/60D	BILL OF LADING 60 DD		
BLCOLLECT/90D	BILL OF LADING 90 DD		

CASH	PAYMENT ON DELIVERY		
CASHINV	PAYMENT ON RECEIPT OF INVOICE		
CREDOC/0D	DOCUMENTARY CREDIT FOR PAYM. AT SIGHT		
CREDOC/120	DOCUMENTARY CREDIT FOR PAYM. AT 120 DD		
CREDOC/150	DOCUMENTARY CREDIT FOR PAYM. AT 150 DD		
CREDOC/180	DOCUMENTARY CREDIT FOR PAYM. AT 180 DD		
CREDOC/30D	DOCUMENTARY CREDIT FOR PAYM. AT 30 DD		
CREDOC/45D	DOCUMENTARY CREDIT FOR PAYM. AT 45 DD		
CREDOC/60	DOCUMENTARY CREDIT FOR PAYM. AT 60 DD		
CREDOC/90	DOCUMENTARY CREDIT FOR PAYM. AT 90 DD		
DEL/10	PAYMENT AT 10 DD AFTER DELIVERY		
DOCOLLECT/120D	DOCUMENTARY COLLECTION AT 120 DD		
DOCOLLECT/30D	DOCUMENTARY COLLECTION AT 30 DD		
DOCOLLECT/60D	DOCUMENTARY COLLECTION AT 60 DD		
DOCOLLECT/90D	DOCUMENTARY COLLECTION AT 90 DD		
INV/120D	PAYMENT AT 120 DD AFTER RECEIPT OF INVOICE		
INV/150D	PAYMENT AT 150 DD AFTER RECEIPT OF INVOICE		
INV/180D	PAYMENT AT 180 DD AFTER RECEIPT OF INVOICE		
INV/30D	PAYMENT AT 30 DD AFTER RECEIPT OF INVOICE		
INV/45D	PAYMENT AT 45 DD AFTER RECEIPT OF INVOICE		
INV/60D	PAYMENT AT 60 DD AFTER RECEIPT OF INVOICE		
INV/90D	PAYMENT AT 90 DD AFTER RECEIPT OF INVOICE		
INVULTIMO	PAYMENT AT END MONTH RECEIPT INVOICE		
INVULTIMO/10D	PAYMENT 10 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/120D	PAYMENT 120 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/150D	PAYMENT 150 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/180D	PAYMENT 180 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/240D	PAYMENT 240 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/30D	PAYMENT 30 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/45D	PAYMENT 45 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/60D	PAYMENT 60 DD AFTER END MONTH RECEIPT INVOICE		
INVULTIMO/90D	PAYMENT 90 DD AFTER END MONTH RECEIPT INVOICE		
NOPAY	WITHOUT PAYMENT		
RECREDOC/0D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT SIGHT		
RECREDOC/120D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 120 DD		

RECREDOC/150D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 150 DD		
RECREDOC/180D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 180 DD		
RECREDOC/30D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 30 DD		
RECREDOC/45D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 45 DD		
RECREDOC/60D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 60 DD		
RECREDOC/90D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 90 DD		
ULTIMO	PAYMENT BY END MONTH OF DELIVERY		
ULTIMO/10	PAYMENT AT 10 DD AFTER END MONTH OF DELIVERY		

### T10 - ISO3166 - Country

code of the nation

Agency name: ISO

tabella cod.: T10

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T10.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml)

Table not printed: there are 239 elements, more than the maximum specified for printing: 99.

### T19 - fibre type

type of fibre used in a textile product

Agency name: eBIZ

tabella cod.: T19

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T19.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T19.xml)

Code	Description	Adoption note	Date of insertion
AB	abaca		20/08/2018
AC	acetate		
AF	other fibres		
AG	alginic fibre		
AL	alfa		20/08/2018
CA	hemp		
CC	coir (coconut)		20/08/2018
CL	chlorofibre		
CO	cotton		
CU	cuprous		

EA	elastan		
EL	Elastodiene		20/08/2018
FL	fluorofibre		
GI	broom		20/08/2018
GL	textile glass		
HA	hair		20/08/2018
HE	henequen		20/08/2018
HL	mixed linen		
HL	cotton linen union		20/08/2018
JU	jute		
KE	kenaf		20/08/2018
KP	kapoc		20/08/2018
LI	linen		
LY	lyocell		20/08/2018
MA	modacrylic		
MD	modal		
ME	metallized		
MG	maguey		20/08/2018
PA	polyamide		
PB	polyureic		
PC	acrylic		
PE	polyethylene		
PI	paper		20/08/2018
PL	polyester		
PM	polyimide		
PP	polypropylene		
PR	proteic		
PU	polyurethane		
RA	mamie		20/08/2018
SE	silk		
SI	sisal		20/08/2018
SN	sun		20/08/2018
TA	triacetate		
TR	textile residues or unspecified composition		20/08/2018
TV	trivinyll		

VI	viscose		
VY	vinylal		
WA	angora		
WB	beaver		20/08/2018
WC	cashgora		
WG	vicuna		
WK	camel		
WL	llama		
WM	mohair		
WN	lapin		20/08/2018
WO	wool		
WP	alpaca		
WS	cashmere		
WT	Oteer		20/08/2018
WU	guanaco		
WV	virgin wool		
WY	yack		

## T2 - Modes of payment

way or means of payment

Agency name: eBIZ

tabella cod.: T2

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T2.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T2.xml)

Code	Description	Adoption note	Date of insertion
BB	bank transfer		
IA	collection through Agent		
IS	collection through Forwarder		
RB	bank receipt		
RD	remittance		
SW	bank SWIFT		
TR	bank draft		

## T21 - type of document

type or class to which the referenced document belongs

Agency name: eBIZ

tabella cod.: T21

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T21.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml)

<b>Code</b>	<b>Description</b>	<b>Adoption note</b>	<b>Date of insertion</b>
BOR	blanket order		01/02/2018
CAT	Price catalogue - tech sheet		
CEO	Certificate of origin		13/04/2018
CER	Certificate		13/04/2018
COC	colour card		
CRN	Credit note		08/09/2017
CTO	Checking order		01/07/2013
CTR	Contract		
CXF	CxF3 file		01/07/2013
DAD	Darn order		
DDT	ddt		
DEA	Despatch advise		
DER	Despatch request		
DR	Document Request		02/12/2014
FOR	Forecast		02/12/2014
GSO	Garment stock offer		
GSX	Garment stock offer change		
INV	Invoice		
KCC	Knitting-Clothing Commission Order		02/12/2014
KCI	Garment in Work Inventory Report		02/12/2014
M2M	Made to Measure Production Order		02/12/2014
MAS	Master marker		
MCI	Visual merchandising instruction		13/04/2018
OCH	Order change		
OFF	Offer		
ORD	Purchase order		
ORP	Order response		
OSR	order status request		
OSS	Offer status		02/12/2014

OST	Order status		
OUR	our reference		
QR	Quality Report		02/12/2014
RAI	Raw Material in Work Inventory Report		02/12/2014
RDC	Raw dyeing commission order		
RDH	Raw dyeing order change		
RDR	Raw dyeing order response		
REA	Receiving advise		
REQ	Request for Offer		
RET	Return		02/12/2014
RSC	Spinning commission order		
RSH	Spinning order change		
RSR	Spinning order response		
SCL	process sheet		
TFC	Textile dyeing-finishing commission order		
TFX	Textile Dyeing-Finishing Order Change		02/12/2014
TPC	Textile printing commission order		
TPX	Textile Printing Order Change		02/12/2014
TWI	Textile in work inventory		
VMI	visual merchandising instructions		01/02/2018
WAC	Warping commission order		
WEC	Weaving commission order		
YDC	Yarn dyeing commission order		
YDH	Yarn dyeing order change		
YDR	Yarn dyeing order response		
YTC	Twisting commission order		
YWI	Yarn in work inventory		

### T24 - yarn characteristics type

physical or mechanical parameter used to define a property of a yarn

Agency name: eBIZ

tabella cod.: T24

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T24.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T24.xml)

Code	Description	Adoption note	Date of insertion
------	-------------	---------------	-------------------

ALL	elongation		
AMIN	minimum yarn elongation		
CV	CV		
DE	delta E		
NFIN	number of cases diameter less than X%		
NGRO	number of cases diameter greater than X%		
NOD	standard nub		
NOS	Splicer nub		
PLH	H hairiness		
PLL	pilling		
RES	tensile strength		
RMIN	minimum tensile strength		
RTR	shrinkage		
SLA	fastness to light (ISO 105-B02)		
SLB	fastness to water washing (ISO 105-C06)		
SLC	fastness to dry washing (ISO 105-D01)		
SLD	fastness to water drop (ISO 105-E07)		
SLW	fastness to water (ISO 105-E01)		
SLX	fastness to Xeno light (ISO 105-E01)		
STW	S-twist		
TIN	english count		
TMT	metric count		
TTX	tex count		
ZTW	Z-twist		

### T29 - type of yarn package

type of package (roll-up) used for a yarn product

Agency name: eBIZ

tabella cod.: T29

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T29.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T29.xml)

Code	Description	Adoption note	Date of insertion
CIL	bobbin		
CON	cone		
HNK	hank, skein		01/07/2013

MUF	muff, cake		01/07/2013
SPL	spool		
TUB	tube		
XCO	supercone		

### T3 - terms of delivery

specification of the terms of trade (INCOTERMS)

Agency name: Incoterms

tabella cod.: T3

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T3.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T3.xml)

Code	Description	Adoption note	Date of insertion
CFR	COST AND FREIGHT (named port of destination)		
CIF	COST, INSURANCE AND FREIGHT (named port of destination)		
CIP	CARRIAGE AND INSURANCE PAID (named place of destination)		
CPA	CARRIAGE PAID (named place of destination)		
DAF	DELIVERED AT FRONTIER (named place)	according to Incoterms® 2010 it is obsolete	08/12/2017
DAP	Delivered at Place of destination (named place of destination)	according to Incoterms® 2010	08/12/2017
DAT	Delivered at Terminal (named place of destination)	according to Incoterms® 2010	08/12/2017
DDP	DELIVERED DUTY PAID (named place of destination)		
DDU	DELIVERED DUTY UNPAID (named place of destination)	according to Incoterms® 2010 it is obsolete, use DAP	08/12/2017
DEQ	DELIVERED EX-QUAY (named port of destination)	according to Incoterms® 2010 it is obsolete	08/12/2017
DES	DELIVERED EX-SHIP (named port of destination)	according to Incoterms® 2010 it is obsolete	08/12/2017
EXW	EX WORKS (named place)		
FAS	FREE ALONGSIDE SHIP (named port of shipment)		
FCA	FREE CARRIER (named place)		

FO B	FREE ON BOARD (named port of shipment)		
---------	--	--	--

### T30 - support of yarn package - material

type of material of which a package for yarn is made

Agency name: eBIZ

tabella cod.: T30

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T30.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T30.xml)

Code	Description	Adoption note	Date of insertion
CA	cartoon		
DY	for soft package dyeing		
MT	metallic		01/07/2013
PL	plastic		

### T32 - yarn reel wrapping type

type of wrapping in which a package of yarn is wrapped

Agency name: eBIZ

tabella cod.: T32

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T32.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T32.xml)

Code	Description	Adoption note	Date of insertion
XA	without bag		
XB	paper bag		01/07/2013
XD	plastic film bag		

### T33 - yarn outer packing

code specifying the type of outer wrapping or packing of a yarn

Agency name: eBIZ

tabella cod.: T33

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T33.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T33.xml)

Code	Description	Adoption note	Date of insertion
------	-------------	---------------	-------------------

00			
CB	cartoon box		
CC	cartoon box 18 reels		
CD	cartoon box 36 reels		
XD	plastic film		

### T34 - yarn payment type

type of payment to be applied to a yarn supply

Agency name: eBIZ

tabella cod.: T34

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T34.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T34.xml)

Code	Description	Adoption note	Date of insertion
CND	conditioned		
NET	net		
NTT	net-net		

### T35 - yarn treatment type

informations on the special treatments and finishing of a yarn product

Agency name: eBIZ

tabella cod.: T35

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T35.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T35.xml)

Code	Description	Adoption note	Date of insertion
00			

### T38 - transport conditions

special condition of transport or special service requested to the Forwarder

tabella cod.: T38

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T38.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T38.xml)

Code	Description	Adoption note	Date of insertion
ACC	arrange customs clearance		

CAL	Carrier loads		
CAU	Carrier unloads		
CMR	CMR carnet		
FFN	freight forwarders national conditions		
FLD	special agreement for full loading		
NCC	do not arrange customs clearance		
PPB	packaging paid by Buyer		
PPS	packaging paid by Supplier		
PRO	proof of delivery		
RFR	return container free		
RPC	return container paid by Customer		
RPS	return container paid by Supplier		
SHL	Shipper loads		
SHU	Consignee unloads		

#### T40 - type of transport means

means of transport, in general or referred to a specific leg

Agency name: eBIZ

tabella cod.: T40

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T40.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T40.xml)

Code	Description	Adoption note	Date of insertion
AIR	aircraft		
SHP	ship		
TRU	truck		
VAN	van		

#### T41 - type of Allowance or Charge

coded specification of an Allowance or Charge (elaborated from UNECE 4465)

Agency name: eBIZ

tabella cod.: T41

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T41.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T41.xml)

Code	Description	Adoption note	Date of insertion
------	-------------	---------------	-------------------

1	Agreed settlement		19/08/2018
10	Costs for draft		19/08/2018
11	Bank charges	DEPRECATED, use C BK	19/08/2018
12	Agent commission		19/08/2018
14	Wrong delivery		19/08/2018
15	Goods returned to agent		19/08/2018
16	Goods partly returned		19/08/2018
17	Transport damage		19/08/2018
19	Trade discount		19/08/2018
2	Below specification goods		19/08/2018
20	Deduction for late delivery	DEPRECATED, use C WB	19/08/2018
21	Advertising costs		19/08/2018
22	Customs duties		19/08/2018
23	Telephone and postal costs		19/08/2018
24	Repair costs		19/08/2018
25	Attorney fees		19/08/2018
26	Taxes		19/08/2018
3	Damaged goods		19/08/2018
30	Direct payment to seller		19/08/2018
32	Goods not delivered		19/08/2018
33	Late delivery		19/08/2018
35	Goods returned		19/08/2018

36	Invoice not received		19/08/2018
37	Credit note to debtor/not to us		19/08/2018
38	Deducted bonus		19/08/2018
39	Deducted discount		19/08/2018
4	Short delivery		19/08/2018
40	Deducted freight costs		19/08/2018
41	Deduction against other invoices		19/08/2018
42	Credit balance(s)		19/08/2018
45	Debit note to seller		19/08/2018
46	Discount beyond terms		19/08/2018
48	Allowance/charge error		19/08/2018
49	Substitute product		19/08/2018
50	Terms of sale error		19/08/2018
52	Wrong invoice		19/08/2018
53	Duplicate invoice		19/08/2018
54	Weight error		19/08/2018
55	Additional charge not authorized		19/08/2018
56	Incorrect discount		19/08/2018
57	Price change		19/08/2018
58	Variation		19/08/2018
59	Chargeback		19/08/2018
65	Settlement to agent		19/08/2018

66	Cash discount		19/08/2018
7	Payment on account		19/08/2018
70	Wrong monetary amount resulting from incorrect free goods quantity		19/08/2018
72	Temporary special promotion		19/08/2018
73	Difference in tax rate		19/08/2018
74	Quantity discount		19/08/2018
75	Promotion discount		19/08/2018
76	Cancellation deadline passed		19/08/2018
77	Pricing discount		19/08/2018
78	Volume discount		19/08/2018
79	Sundry discount		19/08/2018
8	Returnable container charge included		19/08/2018
9	Invoice error		19/08/2018
AW A	bonus for works ahead of schedule		
CBK	bank charges		
CCR	servizio di corriere		
CIN	insurance		
CLB	labelling		
CPK	packing		
CSP	special packing		
CW B	penalty for works behind schedule		

#### **T44 - additional code type**

qualifier of the additional coding of a product

Agency name: eBIZ

tabella cod.: T44

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T44.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml)

Code	Description	Adoption note	Date of insertion
CC	colour card		
CL	sales collection		
CO	company identification code		08/09/2017
DY	dye number		
LT	lot number		
MDI	Made in		08/09/2017
MS	manufacturing state		
PKG	packaging		09/09/2014
PL	product line		
RGB	RGB value		
SE	selvedge code		

#### T61 - duty or tax or fee type

duty or tax or fee type

Agency name: eBIZ

tabella cod.: T61

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T61.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T61.xml)

Code	Description	Adoption note	Date of insertion
BOL	stamp duty		01/07/2013
CUD	customs duty		01/07/2013
ENV	environmental tax		01/07/2013
FRE	no tax		01/07/2013
OTH	other tax charges		01/07/2013
VAT	value added tax		01/07/2013

#### T62 - duty or tax or fee category

duty or tax or fee category

Agency name: eBIZ

tabella cod.: T62

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T62.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T62.xml)

Code	Description	Adoption note	Date of insertion
AA	lower than standard rate		01/07/2013
E	tax not applicable		01/07/2013
H	higher than standard rate		01/07/2013
O	outside scope of tax		01/07/2013
S	standard rate		01/07/2013
Z	zero rate goods		01/07/2013

### T8 - Modes of Transport

way of transport, in general or referred to the specified leg

Agency name: eBIZ

tabella cod.: T8

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T8.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T8.xml)

Code	Description	Adoption note	Date of insertion
1	MARITIME TRANSPORT		
10	Courier		01/07/2013
2	RAIL TRANSPORT		
3	ROAD TRANSPORT		
4	AIR TRANSPORT		
5	MAIL		
6	AIR + SHIP TRANSPORT		
8	INLAND WATER TRANSPORT		
9	MODE UNKNOWN		

### T9 - ISO4217 - Currency

currency code

Agency name: ISO

tabella cod.: T9

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc\\_T9.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T9.xml)

Table not printed: there are 205 elements, more than the maximum specified for printing: 99.

